

Shopfillers by passion

Vizond

Technical instruction

Technical instruction

August 2024



Jeep Big Visual Showroom (H285 L230)

• ST-I-JP02A-H





Dimensions: 2300x45x2850

Weight: 20 Kg

Electrical connection: None








Jeep Big Visual Showroom (H285 L230)

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe

The mounting height follows the CIB FIAT ABARTH



Explanation of symbols

☐∷I Wall reinforcement



Jeep Big Visual Showroom (H270 L218)

• ST-I-JP02A





Dimensions: 2180x45x2700

Weight: 18 Kg

Electrical connection: None








Jeep Big Visual Showroom (H270 L218)

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe

The mounting height follows the CIB FIAT ABARTH




Explanation of symbols

☐∷I Wall reinforcement




Seven Slot Grille (small version)


- ST-I-JP03C
- 8005116



Weight: 50 Kg

Electrical connection: None








Seven Slot Grille (small version)

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe

The mounting height follows the CIB FIAT ABARTH




Explanation of symbols

____ Wall reinforcement




Seven Slot Grille (large version)


- ST-I-JPTBC
- 8005117



Weight: 130 Kg

Electrical connection: None








Seven Slot Grille (large version)

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe

The mounting height follows the CIB FIAT ABARTH



Explanation of symbols

☐∷I Wall reinforcement



Wallmounted 4xe Panel


• ST-I-JP03E

8005944

Dimensions: 2200x120x850

Weight: 65 Kg

Electrical connection: 230V





Wallmounted 4xe Panel

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe


- The wall and the substructure must be made of a suitable material to support the unit.
- Monitor, monitor holder and recharge box are not included in the scope of delivery.

Explanation of symbols



Inspection panel / power supply

Wall socket






Freestanding 4xe Panel

• ST-I-JP TBC


8010999



Weight: 160 Kg

Electrical connection: 230V

Mounting position: Middle space





Wallmounted 4xe Panel

Requirements before installation

 The area must be accessible with a pallet truck (or equivalent).

to observe

 Monitor, monitor holder and recharge box are not included in the scope of delivery.


Explanation of symbols




Inspection panel / power supply



Floor socket







Sales Desk Left

• ST-I-JP04A2

8005380



Weight: 115 Kg

Electrical connection: 230V

Mounting position : Middle space








Sales Desk Left

Requirements before installation

 The area must be accessible with a pallet truck (or equivalent).



to observe

• Supply cable, power strip etc. are not included in the scope of delivery.


Explanation of symbols

<u>````</u>

Inspection panel / power supply



Floor socket





Sales Desk Right

• ST-I-JP04A1

8008296



Weight: 115 Kg

Electrical connection: 230V

Mounting position : Middle space










Sales Desk Right

Requirements before installation

 The area must be accessible with a pallet truck (or equivalent).



to observe

• Supply cable, power strip etc. are not included in the scope of delivery.


Explanation of symbols

<u>```</u>

Inspection panel / power supply



Floor socket





Jeep Big Visual Sales Station (H280 L230)

- ST-I-JP4G-H
- 8005466







Weight: 20 Kg

Electrical connection: None















Jeep Big Visual Sales Station (H280 L230)

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe


- The wall and the substructure must be made of a suitable material to support the unit.
- Supply cable, power strip etc. are not included in the scope of delivery.

Explanation of symbols

Significant Wall reinforcement

.____. Inspection panel / power supply

Wall socket (2 options)






Jeep Big Visual Sales Station (H270 L218)

- ST-I-JP4G-H
- 8007278








Weight: 15 Kg

Electrical connection: None















Jeep Big Visual Sales Station (H270 L218)

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe


- The wall and the substructure must be made of a suitable material to support the unit.
- Supply cable, power strip etc. are not included in the scope of delivery.

Explanation of symbols

Signification Wall reinforcement

.____. Inspection panel / power supply

Wall socket (2 options)





Sales Lamp

- ST-I-JP04D
- 0202714

Dimensions: 1955x36x65

Weight: 4 Kg


Electrical connection: 230V Mounting position: Ceiling



Sales Lamp

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent)
- The ceiling must be reinforced according to the weight specification of the article.



to observe


• The ceiling and the substructure must be made of a suitable material to support the unit.

Explanation of symbols

Ceiling reinforcement

Ceiling fixing points

Electrical connection: Country-specific





Coffee Console

Electrical connection: None

Mounting position: Wall/Middle space

• ST-I-JP05D

8005583











Coffee Console

Requirements before installation

 The area must be accessible with a pallet truck (or equivalent)

to observe

- The furniture can be placed against the wall or in the middle of the room
- Supply cable, power strip etc. are not included in the scope of delivery.


Explanation of symbols


<u>(. .</u> .


Inspection panel / power supply



Wall / floor socket









Jeep World Map Kit


• ST-I-JP05J1

8010991

Dimensions: 3200x45x3000

Weight: 170 Kg

Electrical connection: None



Jeep World Map Kit

Requirements before installation


- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe

• The wall and the substructure must be made of a suitable material to support the unit.

Explanation of symbols

Wall reinforcement



Lounge Cupboard Stone Panel Large

• ST-I-JP TBC

8006204

Dimensions: 1600x30x3000

Weight: 80 Kg

Electrical connection: None








Lounge Cupboard Stone Panel Large

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe

• The wall and the substructure must be made of a suitable material to support the unit.



Explanation of symbols

Wall reinforcement



Lounge Cupboard Stone Panel Slim

• ST-I-JP TBC

8006211

Dimensions: 800x30x3000

Weight: 40 Kg

Electrical connection: None






Lounge Cupboard Stone Panel Slim

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe

• The wall and the substructure must be made of a suitable material to support the unit.



Explanation of symbols

☐∷I Wall reinforcement



Lounge Cupboard

• ST-I-JP TBC

8006213



Weight: 95 Kg

Electrical connection: None

Mounting position : Wall/Middle space









Lounge Cupboard

Requirements before installation


 The area must be accessible with a pallet truck (or equivalent).

to observe

- The Lounge Cupboard is mounted in conjunction with the Jeep World Map Kit and/or with the Lounge Cupboard Stone Panel Large / Slim.
- Supply cable, power strip etc. are not included in the scope of delivery.

Explanation of symbols

Wall socket





980

400 —

Configurator Kit Left

- ST-I-JP06A1
- 8005176
- 8011320 no preparation for screen








Weight: 290 Kg

Electrical connection: None





Configurator Kit Left

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe


- Supply cable, power strip etc. are not included in the scope of delivery.
- Monitor and monitor holder are not included in the scope of delivery.
- The wall and the substructure must be made of a suitable material to support the unit.


Explanation of symbols


Signification Wall reinforcement

______ Inspection panel / power supply

Wall socket









Configurator Kit Right

- ST-I-JPB1
- 8008302
- 8011321 no preparation for screen



Weight: 290 Kg

Electrical connection: None









Configurator Kit Right

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe


- Supply cable, power strip etc. are not included in the scope of delivery.
- Monitor and monitor holder are not included in the scope of delivery.
- The wall and the substructure must be made of a suitable material to support the unit.


Explanation of symbols


∑∴l Wall reinforcement

inspection panel / power supply

Wall socket









Merchandising Wall

• ST-I-JP07A

8011098








Weight: 225 Kg

Electrical connection: 230V





Merchandising Wall

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe


- Supply cable, power strip etc. are not included in the scope of delivery.
- The wall and the substructure must be made of a suitable material to support the unit.


Explanation of symbols


Wall reinforcement

_____ Inspection panel / power supply

Wall socket










Merchandising Monitor Console

• ST-I-JP07C

8005599



Weight: 80 Kg

Electrical connection: 230V

Mounting position: Wall/Middle space







Merchandising Monitor Console

Requirements before installation

 The area must be accessible with a pallet truck (or equivalent).


to observe

- The furniture can be placed against the wall or in the middle of the room
- Supply cable, power strip etc. are not included in the scope of delivery.
- Monitor and monitor holder are not included in the scope of delivery.

Explanation of symbols

Inspection panel / power supply

Wall / floor socket



4xe Delivery Panel

• ST-I-JP TBC

8005946

Dimensions: 1380x35x2800

Weight: 90 Kg

Electrical connection: None








4xe Delivery Panel

Requirements before installation

- The area must be accessible with a pallet truck (or equivalent).
- The wall must be reinforced according to the weight specification of the article.

to observe

• The wall and the substructure must be made of a suitable material to support the unit.



Explanation of symbols

☐∷I Wall reinforcement



66

Thank you